

PinoVillage[®]

Issue date: 06/06/2023

Version: 2 (06/06/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Pinyon Pine Forest

Version: 2

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Pinyon Pine Forest

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet1.3 Details of the supplier of the safety data sheet

Company name: ARTISANAT BUB INC Company address: 10141 Ave de London

Montreal-Nord H1H4H4, QC CANADA

Contact: Customer Support **E-Mail address:** info@pinovillage.com

Company phone: 450-499-6882

1.4 Emergency telephone number Emergency phone: 450-499-6882

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of Acute Toxicity - Oral Category 5 danger:

Skin Corrosion / Irritation Category 3

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 1

H303, May be harmful if swallowed. H316, Causes mild skin irritation.

H317, May cause an allergic skin reaction.

H410, Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Warning

Hazard statements: H303, May be harmful if swallowed.

H316, Causes mild skin irritation.

H317, May cause an allergic skin reaction.

H410, Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P261, Avoid breathing vapour or dust.



Ding Village.

Issue date: 06/06/2023

Version: 2 (06/06/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Pinyon Pine Forest

Version: 2

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P312, Call a POISON CENTRE or doctor/physician if you feel unwell. P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P363, Wash contaminated clothing before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



2.3 Other hazards

Other hazards: Hydrocarbon Concentration %: 3.1590%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	%	GHS Classification
Benzyl benzoate	120-51-4	50-100%	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411
Isobornyl acetate	125-12-2	10-<20%	Flam. Liq. 4-Skin Irrit. 3-Aquatic Acute 2;H227-H316- H401
GALAXOLIDE 50 BB	Solution	1-<5%	Acute Tox. 5-Skin Irrit. 3;H303-H316
Cedrol	77-53-2	1-<5%	Flam. Liq. 4-Aquatic Acute 2-Aquatic Chronic 2;H227-H411
alpha-Cedrene	469-61-4	1-<5%	Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H316-H410
1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta-gamma- 2-benzopyran	1222-05-5	1-<5%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316- H410
4-tert-Butylcyclohexyl acetate	32210-23-4	1-<5%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303- H317-H401
Benzyl alcohol	100-51-6	1-<5%	Acute Tox. 4-Acute Tox. 5-Eye Irrit. 2A;H302-H313-H319
alpha-Terpineol	98-55-5	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 2;H227-H303-H315-H319-H401
beta-Cedrene	546-28-1	0.1-<1%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316- H410
Linalyl acetate	115-95-7	0.1-<1%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 3;H227-H315-H317-H320-H402





Version: 2 (06/06/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Pinyon Pine Forest

Version: 2

Acetyl cedrene	32388-55-9	0.1-<1%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H303-H317-H410
alpha-Pinene	80-56-8	0.1-<1%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H302-H304-H315-H317-H410
alpha-iso-Methylionone	127-51-5	0.1-<1%	Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H316-H317-H411
beta-Caryophyllene	87-44-5	0.1-<1%	Skin Sens. 1B-Asp. Tox 1-Aquatic Chronic 4;H304-H317-H413
Allyl (3-methylbutoxy)acetate	67634-00-8	0.1-<1%	Flam. Liq. 4-Acute Tox. 4-Acute Tox. 2-Skin Irrit. 2- Aquatic Acute 2;H227-H302-H315-H330-H401
beta-Pinene	127-91-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410
Camphor	76-22-2	0.1-<1%	Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Dam. 1-STOT SE 2-Aquatic Acute 2-Aquatic Chronic 2; H228-H302-H315-H318-H332-H371-H411
Lauric aldehyde	112-54-9	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B;H315-H317- H319
Allyl hexanoate	123-68-2	0.1-<1%	Flam. Liq. 4-Acute Tox. 3-Acute Tox. 3-Aquatic Acute 1-Aquatic Chronic 3;H227-H301-H311-H331-H400-H412
Camphene	79-92-5	0.1-<1%	Flam. Sol. 2-Eye Irrit. 2B-Aquatic Acute 1-Aquatic Chronic 1;H228-H320-H410
I-Borneol	464-45-9	0.1-<1%	Flam. Sol. 1-Skin Irrit. 2-Aquatic Acute 2;H228-H315-H401
Eucalyptol	470-82-6	0.1-<1%	Flam. Liq. 3-Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H226-H303-H317-H320-H402
d-Limonene	5989-27-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412
Ethyl methylphenylglycidate	77-83-8	0.1-<1%	Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2; H317-H411

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May be harmful if swallowed.

Causes mild skin irritation.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.



L PincVillage®

Issue date: 06/06/2023

Version: 2 (06/06/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Pinyon Pine Forest

Version: 2

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable



L PincVillage®

Issue date: 06/06/2023

Version: 2 (06/06/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Pinyon Pine Forest

Version: 2

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Free flowing liquid without sediment

Odour:
Characteristic
Odour threshold:
Not determined
PH:
Not determined
Melting point / freezing point:
Not determined
Initial boiling point / range:
Not determined

Flash point: > 93 °C

Evaporation rate: Not determined **Flammability (solid, gas):** Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Vapour density: Not determined Relative density: 1.0440 - 1.0540 Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined **Auto-ignition temperature:** Not determined Not determined **Decomposition temperature:** Viscosity: Not determined **Explosive properties:** Not expected Oxidising properties: Not expected

9.2 Other information:

Refractive Index @ 20C: 1.5268 - 1.5368

Flash Point (Fahrenheit): > 200 °F
Calculated VOC: 0.00



Version: 2 (06/06/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Pinyon Pine Forest

Version: 2

Color Range: 1 Very Pale Yellow - 3 Very Pale Yellow

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity: Acute Toxicity - Oral Category 5

Acute Toxicity Oral 2429
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Skin Corrosion / Irritation Category 3

Serious eye damage/irritation:Based on available data the classification criteria are not met.

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
4-tert-Butylcyclohexyl acetate	32210-23-4	3370	Not available	Not available	Not available



Version: 2 (06/06/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Pinyon Pine Forest

Version: 2

Allyl (3-methylbutoxy) acetate	67634-00-8	500	Not available	0.46	Dust/mist mg/l
Allyl hexanoate	123-68-2	300	300	3	Not available
Benzyl alcohol	100-51-6	1620	2500	Not available	Not available
Benzyl benzoate	120-51-4	1500	4000	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4. Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Cedrene, Benzyl benzoate)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Cedrene, Benzyl benzoate) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Cedrene, Benzyl benzoate)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Cedrene, Benzyl benzoate)	9	-	III



PinoVillage[®]

Issue date: 06/06/2023

Version: 2 (06/06/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Pinyon Pine Forest

Version: 2

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

Components listed on California's Proposition 65:

Name	CAS	%
Myrcene	123-35-3	<0.1%

Essential Oil Components:

Name	CAS	%
CEDARWOOD OIL VIRGINIA	8000-27-9	10-<20%
CEDARLEAF OIL	8007-20-3	0.1-<1%

Components listed on California's SB312

Name	CAS	%
BENZYL BENZOATE	120-51-4	50-100%
BENZYL ALCOHOL (S)	100-51-6	1-<5%
METHYL IONONE GAMMA	127-51-5	0.1-<1%
D-LIMONENE	5989-27-5	0.1-<1%
PHENIRAT	103-60-6	0.1-<1%

US Department Of Transport Bulk Packing Group:

Section 16. Other information

Concentration % Limits: SCI 3=17.52% SS 1=87.72% EH A1=26.12% EH A2=2.56% EH A3=0.

25564395% EH C1=69.49% EH C2=5.92% EH C3=0.59164232% EH

C4=25.31%

Total Fractional Values: SCI 3=5.71 SS 1=1.14 EH A1=3.83 EH A2=39.12 EH A3=391.17 EH

C1=1.44 EH C2=16.90 EH C3=169.02 EH C4=3.95

Key to revisions:

Concentration % Limits

GHS Workplace Exposure Limits

SECTION 3: Composition/information on ingredients

Total Fractional Values

Key to abbreviations:

Abbreviation	Meaning
--------------	---------



Version: 2 (06/06/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Pinyon Pine Forest

Version: 2

Acute Tox. 2	Acute Toxicity - Inhalation Category 2
Acute Tox. 3	Acute Toxicity - Oral Category 3
Acute Tox. 3	Acute Toxicity - Dermal Category 3
Acute Tox. 3	Acute Toxicity - Inhalation Category 3
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Acute Tox. 5	Acute Toxicity - Oral Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Aquatic Chronic 4	Hazardous to the Aquatic Environment - Long-term Hazard Category 4
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
Flam. Sol. 1	Flammable Solid, Hazard Category 1
Flam. Sol. 2	Flammable Solid, Hazard Category 2
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H228	Flammable solid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H371	May cause damage to organs (organs, exposure route).



Version: 2 (06/06/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Pinyon Pine Forest

Version: 2

H400 H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge.	
H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools.	
H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools.	
H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools.	
H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools.	
H413 May cause long lasting harmful effects to aquatic life. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools.	
P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools.	
P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools.	
P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools.	
P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools.	
P242 Use only non-sparking tools.	
P243 Take precautionary measures against static discharge.	
P260 Do not breathe vapour or dust.	
P261 Avoid breathing vapour or dust.	
P264 Wash hands and other contacted skin thoroughly after handling.	
P270 Do not eat, drink or smoke when using this product.	
P271 Use only outdoors or in a well-ventilated area.	
P272 Contaminated work clothing should not be allowed out of the workplace.	
P273 Avoid release to the environment.	
P280 Wear protective gloves/eye protection/face protection.	
P284 Wear respiratory protection.	
P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	
P302/352 IF ON SKIN: Wash with plenty of soap and water.	
P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with	th water/shower.
P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breath	hing.
P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if pres do. Continue rinsing.	sent and easy to
P309/311 IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.	
P310 Immediately call a POISON CENTER or doctor/physician.	
P311 Call a POISON CENTRE or doctor/physician.	
P312 Call a POISON CENTRE or doctor/physician if you feel unwell.	
P330 Rinse mouth.	
P331 Do not induce vomiting.	
P332/313 If skin irritation occurs: Get medical advice/attention.	
P333/313 If skin irritation or rash occurs: Get medical advice/attention.	
P337/313 If eye irritation persists: Get medical advice/attention.	
P361 Remove/Take off immediately all contaminated clothing.	
P362 Take off contaminated clothing and wash before reuse.	
P363 Wash contaminated clothing before reuse.	
P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction.	





Version: 2 (06/06/2023)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Pinyon Pine Forest

Version: 2

P391	Collect spillage.
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
STOT SE 2	Specific Target Organ Toxicity (Single Exposure) Category 2
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.