

Page1 (9) Issue date: 10/18/2024 Version: 6 (05/29/2024)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Version: 6

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Love Spell

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name:	ARTISANAT BUB INC	
Company address:	10141 Ave de London	
	Montreal-Nord	
	H1H4H4, QC	
	CANADA	
Contact:	Customer Support	
E-Mail address:	info@pinovillage.com	
Company phone:	450-499-6882	

1.4 Emergency telephone number

Emergency phone: 450-499-6882

Section 2. Hazards identification

2.1 Classification of the substance or mixture

	Skin Corrosion / Irritation Category 3
danger:	Sensitization - Skin Category 1
	Hazardous to the Aquatic Environment - Acute Hazard Category 2
	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
	H316, Causes mild skin irritation.
	H317, May cause an allergic skin reaction.
	H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word:	Warning
Hazard statements:	H316, Causes mild skin irritation. H317, May cause an allergic skin reaction. H411, Toxic to aquatic life with long lasting effects.
Precautionary statements:	 P261, Avoid breathing vapour or dust. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection.

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product:	Love Spell
Version:	6
	 P302/352, IF ON SKIN: Wash with plenty of soap and water. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P363, Wash contaminated clothing before reuse. P391, Collect spillage. P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.
Pictograms:	
2.3 Other haz Other hazard	

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	%	GHS Classification
Tricyclodecenyl propionate	17511-60-3	20-<50%	Aquatic Acute 2-Aquatic Chronic 2;H411
1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta-gamma- 2-benzopyran	1222-05-5	20-<50%	Aquatic Acute 1-Aquatic Chronic 1;H410
alpha,alpha-Dimethylphenethyl butyrate	10094-34-5	10-<20%	Aquatic Acute 2-Aquatic Chronic 2;H411
Ethyl methylphenylglycidate	77-83-8	1-<5%	Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2; H317-H411
gamma-Undecalactone	104-67-6	1-<5%	Aquatic Acute 3-Aquatic Chronic 3;H412
Linalyl acetate	115-95-7	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H227-H315-H317-H320-H402
Tricyclodecenyl acetate	5413-60-5	1-<5%	Acute Tox. 5-Aquatic Acute 3;H303-H402
Allyl alpha-ionone beta-1-(2,6,6-Trimethyl-1-	79-78-7	1-<5%	Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2; H317-H411
cyclohexen-1-yl)-2-buten-1-one	35044-68-9	0.1-<1%	Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H303-H315-H317-H411
Lauric aldehyde	112-54-9	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B;H315-H317- H319
d-Limonene	5989-27-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412

Substances with workplace exposure limits, not listed above:

Not Applicable

Page3 (9) Issue date: 10/18/2024 Version: 6 (05/29/2024)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Love Spell

Version: 6

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes mild skin irritation.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam. **5.2 Special hazards arising from the substance or mixture**

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8. **6.2 Environmental precautions:**

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Page4 (9) Issue date: 10/18/2024 Version: 6 (05/29/2024)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Love Spell

Version: 6

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Free flowing liquid without sediment
Odour:	Characteristic Not determined Not
Odour threshold:	determined Not determined Not
pH:	determined > 93 °C Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	
Flash point:	
Evaporation rate:	
Flammability (solid, gas):	

Page5 (9) Issue date: 10/18/2024 Version: 6 (05/29/2024)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Love Spell

Version: 6

Product does not present an explosion hazard
Not determined
Not determined
0.9720 - 0.9820
Not determined
Not expected
Not expected

9.2 Other information:

Refractive I	ndex @) 20C:
Flash Point	(Fahre	nheit):
Calculated	VOC:	Color
Range:		

1.4842 - 1.4942 > 200 °F 0.00 Colorless - 2 Very Pale Yellow

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water. **10.2 Chemical stability:**

Good stability under normal storage conditions. **10.3 Possibility of hazardous reactions:**

Not expected under normal conditions of use. **10.4 Conditions to avoid:**

Avoid extreme heat.
10.5 Incompatible materials:
Avoid contact with strong acids, alkalis or oxidising agents.
10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity:

Acute Toxicity Oral

Based on available data the classification criteria are not met.

>5000

Page6 (9) Issue date: 10/18/2024 Version: 6 (05/29/2024)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Version: 6	
Acute Toxicity Dermal	Not Applicable
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 3
Serious eye damage/irritation:	Based on available data the classification criteria are not met.
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Tricyclodecenyl acetate5	413-60-5	3050	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Love Spell

Product:

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:	Not available
12.3 Bioaccumulative potential:	Not available
12.4 Mobility in soil:	Not available
12.5 Other adverse effects:	Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4. Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-	9	-	111

Section 14. Transport information

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Love Spell

Version: 6

		hexamethylcyclopenta-gamma-2-]		
		benzopyran, Tricyclodecenyl propionate)		1	I
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS	9	-	111
		SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2- benzopyran, Tricyclodecenyl propionate) MARINE POLLUTANT			
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS	9	-	Ш
		SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2- benzopyran, Tricyclodecenyl propionate)			
ΙCAO ΤΙ	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8- hexamethylcyclopenta-gamma-2- benzopyran, Tricyclodecenyl propionate)	9	-	111

14.5 Environmental hazards:

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

14.6 Special precautions for user:

None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

Section 15. Regulatory information

Components listed on California's SB312

Name	CAS	%
LINALOOL	78-70-6	1-<5%

US Department Of Transport Bulk Packing -

Group:

Naturally-Occuring Materials on Prop65:

Name	CAS	%
Myrcene	123-35-3	

Section 16. Other information

Concentration % Limits:	SCI 3=28.25% SS 1=34.48% EH A2=9.72% EH A3=0.96968287% EH C2=9.82% EH C3=0.98054597% EH C4=36.36%
Total Fractional Values:	SCI 3=3.54 SS 1=2.90 EH A2=10.28 EH A3=103.13 EH C2=10.19 EH C3=101.98 EH C4=2.75
Key to revisions:	

Page8 (9) Issue date: 10/18/2024 Version: 6 (05/29/2024)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Love Spell

Version: 6

Concentration % Limits

SECTION 3: Composition/information on ingredients Key to abbreviations: Abbreviation

Aquatic Chronic 1 Aquatic Chronic 2 Aquatic Metal 10 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Acute Tox. 5 Aquatic Acute 1 Aquatic A	
H303 H304 H315 H317 H319 H320 H400 AR469 HaterA Arategory 1 Hazardous to the Aquatic Environment - Acute P210 P233 P240 P241 P242 P243 P261 Hazardous to the Aquatic Environment - Acute Hazard P301/310 Category 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aspiration Hazard Category 1 Eye Damage / Irritation Category 2A Eye Damage / Irritation Category 2B Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 4 Flammable Liquid, Hazard Category 3 Flammable Liquid, May be harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Causes eye irritation. Very toxic to aquatic life. Harmful to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Toxic to aquatic life. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughl	Aquatic Chronic 1 Aquatic Chronic 2 Aqua	Meaning IIC Chronie 3 Asp. Tox 1
H303 H304 H315 H317 H319 H320 H400 AR489 Hatarh Arategory 1 Hazardous to the Aquatic Environment - Acute P210 P233 P240 P241 P242 P243 P261 Hazardous to the Aquatic Environment - Acute Hazard P301/310 Category 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aspiration Hazard Category 1 Eye Damage / Irritation Category 2A Eye Damage / Irritation Category 2B Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 4 Flammable Liquid and vapour. Combustible liquid. May be harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Causes eye irritation. Very toxic to aquatic life. Harmful to aquatic life. Very toxic to aquatic life with long lasting effects. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the	Eye Irrit. 2A Eye Irrit. 2B Flam. Liq. 3 F	AcHte Toxicity2260rategory 5 Hazardous to the Aquatic Environment -
P210 P233 P240 P241 P242 P243 P261 Horaging & Splag and Spla	H303 H304 H315 H317 H319 H320 H400	Applie Harard Gategory 1 Hazardous to the Aquatic Environment - Acute
P301/310 Category 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aspiration Hazard Category 1 Eye Damage / Irritation Category 2A Eye Damage / Irritation Category 2B Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 4 Flammable liquid and vapour. Combustible liquid. May be harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Causes eye irritation. Very toxic to aquatic life. Harmful to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF	P210 P233 P240 P241 P242 P243 P261	ዙቌ፰፼፻ጐይ <mark>ፇዸዸ፼</mark> ፬፵አን፟፝፝፝ <mark>ኯዾ፼</mark> ፰ardous to the Aquatic Environment - Acute Hazard
Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Aspiration Hazard Category 1 Eye Damage / Irritation Category 2A Eye Damage / Irritation Category 2B Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 4 Flammable liquid and vapour. Combustible liquid. May be harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Causes eye irritation. Very toxic to aquatic life. Harmful to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF		
Category 3 Aspiration Hazard Category 1 Eye Damage / Irritation Category 2A Eye Damage / Irritation Category 2B Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 4 Flammable liquid and vapour. Combustible liquid. May be harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Causes eye irritation. Very toxic to aquatic life. Harmful to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF		Category 1 Hazardous to the Aquatic Environment - Long-term Hazard
2A Eye Damage / Irritation Category 2B Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 4 Flammable liquid and vapour. Combustible liquid. May be harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Causes eye irritation. Very toxic to aquatic life. Harmful to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF		Category 2 Hazardous to the Aquatic Environment - Long-term Hazard
3 Flammable Liquid, Hazard Category 4 Flammable liquid and vapour. Combustible liquid. May be harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Causes eye irritation. Very toxic to aquatic life. Harmful to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF		Category 3 Aspiration Hazard Category 1 Eye Damage / Irritation Category
Combustible liquid. May be harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Causes eye irritation. Very toxic to aquatic life. Harmful to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF		2A Eye Damage / Irritation Category 2B Flammable Liquid, Hazard Category
and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Causes eye irritation. Very toxic to aquatic life. Harmful to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF		3 Flammable Liquid, Hazard Category 4 Flammable liquid and vapour.
reaction. Causes serious eye irritation. Causes eye irritation. Very toxic to aquatic life. Harmful to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF		Combustible liquid. May be harmful if swallowed. May be fatal if swallowed
aquatic life. Harmful to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF		and enters airways. Causes skin irritation. May cause an allergic skin
effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF		reaction. Causes serious eye irritation. Causes eye irritation. Very toxic to
with long lasting effects. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF		aquatic life. Harmful to aquatic life. Very toxic to aquatic life with long lasting
surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF		effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life
and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF		with long lasting effects. Keep away from heat, sparks, open flames and hot
lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF		surfaces No smoking. Keep container tightly closed. Ground/bond container
measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF		and receiving equipment. Use explosion-proof electrical, ventilating and
hands and other contacted skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF		lighting equipment. Use only non-sparking tools. Take precautionary
clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. IF		measures against static discharge. Avoid breathing vapour or dust. Wash
environment. Wear protective gloves/eye protection/face protection. IF		hands and other contacted skin thoroughly after handling. Contaminated work
		clothing should not be allowed out of the workplace. Avoid release to the
SWALLOWED: Immediately call a POISON CENTER or doctor/physician.		environment. Wear protective gloves/eye protection/face protection. IF
		SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Love Spell

Version: 6

P302/352	IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Remove/take off immediately a	
P303/361/353	contaminated clothing. Rinse skin with water/shower.	
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P312 P331	Call a POISON CENTRE or doctor/physician if you feel unwell.	
P333/313	Do not induce vomiting.	
P337/313	If skin irritation or rash occurs: Get medical advice/attention.	
P362 P363	If eye irritation persists: Get medical advice/attention.	
P370/378	Take off contaminated clothing and wash before reuse.	
P391	Wash contaminated clothing before reuse.	
P403/235	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.	
P405 P501	Collect spillage.	
Skin Irrit. 2	Store in a well-ventilated place. Keep cool.	
Skin Sens. 1B	Store locked up.	
	Dispose of contents/container to approved disposal site, in accordance with local regulations.	
	Skin Corrosion / Irritation Category 2	
<u> </u>	Sensitization - Skin Category 1B	

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.